

# MC565

## TECHNICAL BULLETIN

# EPOXEAL

**EPOXEAL** is a natural-look, low sheen surface sealer designed to resist stains and allow moisture vapor transmission. Sealer repels all water-based fluids effectively from entering into the porous stone and its performance will not be affected by exposure to ultraviolet (UV) rays. Tremendous adhesion surface sealer

### USES:

Suitable for use on rough surface stones, pebble wash, sandstone and porous stone, concrete floor, terrazzo, slate, terra-cotta and masonry (interior and exterior application)

### COVERAGE:

Approximately 800 to 2,000 ft<sup>2</sup> (74 m<sup>2</sup> to 185 m<sup>2</sup>) per gallon (3.785 Lit) depending on type of tiles, porosity and texture of surface, temperature, humidity and method of application

### EXPECTED WEAR:


Will vary depending on hardness and texture of surface, type of area, surface wear, frequency and type of maintenance products used. The expected wear is up to 3 years. Extreme weather conditions, harsh cleaning methods and high-alkaline or solvent-based cleaners will affect wear

### METHOD OF APPLICATION:

1. TEST A SMALL AREA with a 24-hour cure time to determine the ease of application and desired results. Test for stain repellency using likely contaminants
2. Wash the top surface of the stone with Master Stone Cleaner (recommended) to remove all dust, dirt and soils before sealer
3. To give effective protection on porous stone, allow the first coat of sealer to dry in the interior of the stone for at least 30 minutes to 1-hour before applying second coat of sealer
4. Do not allow excessive sealer to dry on the surface especially on polished marble and granite surface
5. Ready to surface traffic after 20 minutes. Full cure 24-hour sealer application

### MAINTENANCE:

Master Stone Cleaner is recommended for daily maintenance



### LIMITATIONS:

- Do not allow sealer to come in contact with any non-recommended surface
- May slightly lighten or darken some surfaces
- Will not prevent surface wear or etching from acids or caustic chemicals

### HANDLING AND STORAGE:

- Close container after each use
- Store in original container only
- Store and use between temperatures of 4°C - 52°C (40°F - 125°F) with adequate ventilation

### CAUTION:

- **KEEP OUT OF REACH OF CHILDREN**
- If spraying, avoid inhaling mists
- Gloves should be worn during application
- **IF INGESTED:** Do not induce vomiting. Drink 1 to 2 glasses of water. If gastric discomfort occurs, seek medical attention
- **IF INHALED:** Move to fresh air
- **EYE CONTACT:** Hold eyelids open and flush immediately with water for 15 minutes. If irritation persists, seek immediate medical attention
- **SKIN CONTACT:** Wash thoroughly with water. Remove contaminated clothing. If irritation persists, seek medical attention